Name		Kopatkevichi production site				
Total area (m ²)		10,000				
Location Region		Gomel				
District		Petrikov				
Settlement						
Address		Kopatkevichi Urban Settlement, Internatsionalnaya Street				
Form of property		□ private □ public				
Name of owner		The lands of the settlement				
Possible fields of use		⊠ trade ⊠ mixed				
				□ service □ other (specify)		
Means of land provision		⊠ lease				
Value (cadastral) (per m ²)		8.65 BYN per m ²		□ usc	Lisaic	
Encumbrance of the plot/building		0.03 B 114 per m				
Encumorance of the pic	ot building	2. Transport Co	mmuni	cation		
		Distance from			Name	
		facility		1		
Highway						
Republican class railway		12.9 km		M-10		
Airport						
Railway			18.7 km		Ptich Railway station	
Availability of access routes			Asphalted road			
Other –						
		3. Infrastr	ncture			
		Distance fro		Description	on (power, volume, etc.)	
			m the	Description	on (power, volume, etc.)	
Electric power supply		Distance fro	m the	-	on (power, volume, etc.) abstation TII-316 (100	
Electric power supply		Distance fro facility	m the	Transformer su		
Electric power supply		Distance fro facility	m the	Transformer st kVA), transfor (2*400 kVA)	ubstation TΠ-316 (100 rmer substation TΠ-561 Kopatkevichi Urban	
		Distance fro facility	m the	Transformer st kVA), transfor (2*400 kVA)	ubstation TΠ-316 (100 rmer substation TΠ-561	
Heating (heating netwo	rks)	Distance fro facility 20 m	m the	Transformer so kVA), transfor (2*400 kVA) I Settlement, Ov	ubstation TΠ-316 (100 rmer substation TΠ-561 Kopatkevichi Urban verhead Line – 10 kV № 762	
Heating (heating netwo	rks)	Distance fro facility	m the	Transformer so kVA), transfor (2*400 kVA) I Settlement, Ov	ubstation TΠ-316 (100 rmer substation TΠ-561 Kopatkevichi Urban	
Heating (heating netwo Potable water Process water	rks)	Distance fro facility 20 m	m the	Transformer so kVA), transfor (2*400 kVA) I Settlement, Ov	ubstation TΠ-316 (100 rmer substation TΠ-561 Kopatkevichi Urban verhead Line – 10 kV № 762	
Heating (heating netwo Potable water Process water Hot water service	rks)	Distance fro facility 20 m	m the	Transformer so kVA), transfor (2*400 kVA) I Settlement, Ov	ubstation TΠ-316 (100 rmer substation TΠ-561 Kopatkevichi Urban verhead Line – 10 kV № 762 ————————————————————————————————————	
Heating (heating netwo Potable water Process water Hot water service Boreholes	rks)	Distance fro facility 20 m	m the	Transformer so kVA), transfor (2*400 kVA) I Settlement, Ov	ubstation TΠ-316 (100 rmer substation TΠ-561 Kopatkevichi Urban verhead Line – 10 kV № 762 ————————————————————————————————————	
Heating (heating netwo Potable water Process water Hot water service Boreholes Sewerage	rks)	Distance fro facility 20 m	m the	Transformer st kVA), transfor (2*400 kVA) I Settlement, Ov	ubstation TΠ-316 (100 rmer substation TΠ-561 Kopatkevichi Urban verhead Line – 10 kV № 762 — ntral water supply — — — — — — — — — — — — — — — — — — —	
Heating (heating netwo Potable water Process water Hot water service Boreholes Sewerage Gas supply		Distance fro facility 20 m	m the	Transformer st kVA), transfor (2*400 kVA) I Settlement, Ov	ubstation TΠ-316 (100 rmer substation TΠ-561 Kopatkevichi Urban verhead Line – 10 kV № 762 ————————————————————————————————————	
Heating (heating netwo Potable water Process water Hot water service Boreholes Sewerage Gas supply Other (including adjace	ent structures:	Distance fro facility 20 m	m the	Transformer st kVA), transfor (2*400 kVA) I Settlement, Ov	ubstation TΠ-316 (100 rmer substation TΠ-561 Kopatkevichi Urban verhead Line – 10 kV № 762 — ntral water supply — — — — — — — — — — — — — — — — — — —	
Heating (heating netwo Potable water Process water Hot water service Boreholes Sewerage Gas supply	ent structures:	Distance fro facility 20 m	om the	Transformer so kVA), transfor (2*400 kVA) Settlement, Over the Medium-press	ubstation TΠ-316 (100 rmer substation TΠ-561 Kopatkevichi Urban verhead Line – 10 kV № 762 — ntral water supply — — — — — — — — — — — — — — — — — — —	
Heating (heating netwo Potable water Process water Hot water service Boreholes Sewerage Gas supply Other (including adjace	ent structures:	Distance fro facility 20 m	formati	Transformer sikVA), transfor (2*400 kVA) Settlement, Over the settlement of the se	ubstation TΠ-316 (100 rmer substation TΠ-561 Kopatkevichi Urban verhead Line – 10 kV № 762 — ntral water supply — — — — — — — — ssure gas pipeline Ø 90 mm	
Heating (heating netwo Potable water Process water Hot water service Boreholes Sewerage Gas supply Other (including adjace industrial enterprises, ra	ent structures: aw material bas	Distance fro facility 20 m	formati	Transformer st kVA), transfor (2*400 kVA) I Settlement, Over the Medium-pressor of the Land Market State (1.5 to 1.5 to 1	ubstation TΠ-316 (100 rmer substation TΠ-561 Kopatkevichi Urban verhead Line – 10 kV № 762 — ntral water supply — — — — — ssure gas pipeline Ø 90 mm	
Heating (heating netwo Potable water Process water Hot water service Boreholes Sewerage Gas supply Other (including adjace	ent structures: aw material bas	Distance fro facility 20 m	formati Head Petrik	Transformer so kVA), transfor (2*400 kVA) I Settlement, Over the Medium-pressure of the Land Markov District Executive (2*400 kVA) I Settlement, Over the Land Markov District Executive (2*400 kVA) I Settlement, Over the Land Markov District Executive (2*400 kVA) I Settlement, Over the Land Markov District Executive (2*400 kVA) I Settlement, Over the Land Markov District Executive (2*400 kVA) I Settlement, Over the Land Markov District Executive (2*400 kVA) I Settlement, Over the Land Markov District Executive (2*400 kVA) I Settlement, Over the Land Markov District Executive (2*400 kVA) I Settlement, Over the Land Markov District Executive (2*400 kVA) I Settlement, Over the Land Markov District Executive (2*400 kVA) I Settlement, Over the Land Markov District Executive (2*400 kVA) I Settlement, Over the Land Markov District Executive (2*400 kVA) I Settlement, Over the Land Markov District Executive (2*400 kVA) I Settlement, Over the Land Markov District Executive (2*400 kVA) I Settlement, Over the Land Markov District Executive (2*400 kVA) I Settlement, Over the Land Markov District Executive (2*400 kVA) I Settlement, Over the Land Markov District Executive (2*400 kVA) I Settlement, Over the Land Markov District Executive (2*400 kVA) I Settlement, Over the Land Markov District (2*400 kVA) I Settlement, Over the Land Markov District (2*400 kVA) I Settlement, Over the Land Markov District (2*400 kVA) I Settlement, Over the Land Markov District (2*400 kVA) I Settlement, Over the Land Markov District (2*400 kVA) I Settlement, Over the Land Markov District (2*400 kVA) I Settlement, Over the Land Markov District (2*400 kVA) I Settlement, Over the Land Markov District (2*400 kVA) I Settlement, Over the Land Markov District (2*400 kVA) I Settlement, Over the Land Markov District (2*400 kVA) I Settlement, Over the Land Markov District (2*400 kVA) I Settlement, Over the Land Markov District (2*400 kVA) I Settlement, Over the Land Markov District (2*400 kVA) I Settlement, Over the Land Markov District (2*400 kVA) I Settlem	ubstation TΠ-316 (100 mer substation TΠ-561 Kopatkevichi Urban verhead Line – 10 kV № 762 — ntral water supply — — — — — — — — — — ssure gas pipeline Ø 90 mm — — — — — — — — — — — — — — — — — —	
Heating (heating netwo Potable water Process water Hot water service Boreholes Sewerage Gas supply Other (including adjace industrial enterprises, ra	ent structures: aw material bas	Distance fro facility 20 m	formati Head Petrik Yerm	Transformer st kVA), transfor (2*400 kVA) I Settlement, Over the Medium-pressor of the Land Market State (1.5 to 1.5 to 1	ubstation TΠ-316 (100 mer substation TΠ-561 Kopatkevichi Urban verhead Line – 10 kV № 762 — ntral water supply — — — — — — — — — — ssure gas pipeline Ø 90 mm — — — — — — — — — — — — — — — — — —	
Heating (heating netwo Potable water Process water Hot water service Boreholes Sewerage Gas supply Other (including adjace industrial enterprises, ra	ent structures: aw material bas	Distance fro facility 20 m	formati Head Petrik Yerm +375	Transformer so kVA), transfor (2*400 kVA) I Settlement, Over the Medium-pressure on the Land Markov District Executary Nadezhda Mit 2350 2-90-26	ubstation TΠ-316 (100 mer substation TΠ-561 Kopatkevichi Urban verhead Line – 10 kV № 762 — ntral water supply — — — — — — — — — — ssure gas pipeline Ø 90 mm — — — — — — — — — — — — — — — — — —	
Heating (heating netwo Potable water Process water Hot water service Boreholes Sewerage Gas supply Other (including adjace industrial enterprises, ra	ent structures: aw material bas	Distance fro facility 20 m	formati Head Petrik Yerm +375 +375	Transformer so kVA), transfor (2*400 kVA) I Settlement, Over the Medium-pressor on the Land Managov District Executary Nadezhda Ministrict Executary (1.5 ministrict) (1.5 minis	abstation TΠ-316 (100 rmer substation TΠ-561 Kopatkevichi Urban verhead Line – 10 kV № 762 — ntral water supply — — — — ssure gas pipeline Ø 90 mm magement Department of the cutive Committee Budovichikhaylovna	

1. General Information

Site plan Photo

